

150706

bticino



Underfloor boxes 24/30 modules - inox compartment cover with customizable and ergonomic handle

Technical features

Brand	BTicino
Modules	24-30
Height	92.5mm
Width	441mm
Depth	270mm

Series

Commercial data

Minimum quantity	1
Sales unit	1
EAN code	8012199779737

Technical documentation

? Instruction Sheet	? DWG drawing
? Product Environmental Profile	

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Complete with



150712

Support for 5 modules
LivingLight and Lu...



150713

Support for 4 modules
Matix to use in un...



150715

Support for 5 connectors
RJ45 IDC110 typ...



150716

Support for 2 modular
DIN35 rail device...



150717

Blanking module support...



150718

Internal partition for item
150712 and i...



150719

Pre-wired module - cannot
be installed i...



150569S

Galvanised aluminium
flush mounting boxe...



150720

Support for 5 connectors
type RJ45 or ty...