



344743

bticino

2 Wires / Wi-Fi hands-free connected video internal unit, Dark finish, with 7" horizontal touch screen LCD display, resolution 1024 x 600 pixel. Featuring two physical keys for answering/ending calls, entrance panel activation, and controlling the electric door lock. The remaining video door entry system functions e.g. entrance panel activation, camera scrolling, additional door lock activation, video door entry system answering machine, staircase light control, intercom etc. are managed via specific menus and touch display. Featuring a digital echo canceller for better audio quality. LED visual signals for: Wi-Fi network connection status, info / notifications and call exclusion. Using the touch display, it is possible to access the notification list, as well as your favourite door entry controls. Advanced 'Professional Studio' and 'Do Not Disturb' functions: customisable and schedulable by day/time. Possibility of voice communication with the switchboard - if present in the system - after a specific call. The device must be configured by physically connecting the configurators, or using the menu and the touch display, which will give better possibilities of customisation of associated functions and texts. Thanks to the Wi-Fi 6 connectivity, the video door entry system can connect to 5 GHz or 2.4 GHz band routers to take advantage of the functions available on the Home + Security App (available for Android and iOS): call reception, door lock release, event timeline display, entrance panel activation, camera scrolling and advanced «Professional Studio» and «Do Not Disturb» functions. Using the Home + Security App, it is also possible to manage products from Netatmo security offering. 15 different ringtones available. Wall mounted installation using the bracket supplied and tabletop installation (with support 344632) to be purchased separately. Made with over 80% mechanically recycled plastic. Designed, engineered, and manufactured in Italy.

Technical features

Brand	BTicino
Rated voltage	20-27 Vdc
Dimensions	172 x 125 x 19mm
Height	125mm
Width	172mm
Depth	19mm
Plant type	2-Wires
Installation height	160 - 165 cm
Operating temperature	5 - 40°C
Connection type	Connected
Wi-Fi	Yes
Colour	Dark
Series	CLASSE 300X

Commercial data

Minimum quantity	1
Sales unit	1
EAN code	8005543781388

Technical documentation

? Instructions

? Technical sheet

? User and installation manual

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Complete with



346020

Additional power supply to be used to su...



344632

Accessory support for the table-top inst...

Alternative solutions



344742

2 Wires / Wi-Fi hands-free
connected vid...