





# 345500



Keypad module with aluminium key finish for door lock opening in 2-wire systems where there is at least one Linea 5000 display module (345000). The keypad module is fitted with relay contacts (C – NO - NC) and clamps (CP - P1) for the connection of a local door release pushbutton and can be programmed using the Home + Project app. It has a programming reset pushbutton, LEDS for the visual notification of the access status and night backlighting. The device, to be completed with an appropriate frame, can be used stand-alone or combined with a display module in a 3+1 composition. To be installed in 1-module flush mounted box 350010, in wall mounted box 345311 or with dedicated accessory 345341 for 3+1 composition.

#### Technical features

Brand	BTicino
Rated voltage	18-27 Vdc
Modules	1
Contact type	8 A, 30 Vdc/Vac; cos? = 1 - 3,5 A, 30 Vac; cos? = 0,4
Protection class	IP65
Dimensions	129x127x41 mm
Height	127 mm
Width	129 mm
Depth	41 mm
Plant type	2 wires
Robustness	IK08



# GENERAL CATALOGUE

Operating	(-25) – (+70) °C	Commercial data	
temperature		Minimum quantity	1
Connection type	BUS SCS		
Colour	Aluminium	Sales unit	1
Series	LINEA 5000	EAN code	8005543746080

#### Technical documentation

? Instructions ? Tecnical sheet

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.



# GENERAL CATALOGUE

# Complete with



350010 Flush-mounting box 1 module for Sfera an...



345311 Wall-mounting box with integrated rainsh...



345312 Wall-mounting box with integrated rainsh...



345201 1-module frame in aluminium (60% recycle...











### Alternative solutions



Keypad module with nickel key finish for...