



345520



RFID/bluetooth Smart Access module for door lock opening in 2-wire systems where there is at least one Linea 5000 display module (345000), using the badge or using the Home + Security App via bluetooth. The Smart Access module is fitted with relay contacts (C – NO - NC) and clamps (CP - P1) for the connection of a local door release pushbutton and can be programmed using the Home + Project app. It has a programming reset pushbutton and LEDS for the visual notification of the access status. The device, to be completed with an appropriate finishing frame, can be installed in 1-module flush-mounted box 350010 or in wall mounted box 345311 or 345312.

Technical features

Brand	BTicino
Rated voltage	18-27 Vdc
Modules	1
Contact type	8 A, 30 Vdc/Vac ; $\cos\phi = 1$ - 3,5 A, 30 Vac ; $\cos\phi = 0,4$
Protection class	IP65
Dimensions	129x127x41 mm
Height	127 mm
Width	129 mm
Depth	41 mm
Plant type	2 wires
Robustness	IK08

Operating temperature (-25) – (+70) °C

Connection type BUS SCS

Series LINEA 5000

Technical documentation

? Instruction sheet

? Technical sheet

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Complete with

 <p>350010 Flush-mounting box 1 module for Sfera an...</p>	 <p>345311 Wall-mounting box with integrated rainsh...</p>	 <p>345312 Wall-mounting box with integrated rainsh...</p>	 <p>345201 1-module frame in aluminium (60% recycle...</p>
 <p>345202 1-module frame in aluminium (60% recycle...</p>	 <p>345203 1-module frame in aluminium (60% recycle...</p>	 <p>345204 1-module frame in aluminium (60% recycle...</p>	 <p>345205 1-module frame in aluminium (60% recycle...</p>
 <p>348200 Door opening RFID transponder black key ...</p>	 <p>348201 Door opening RFID transponder red key fo...</p>	 <p>348202 Door opening RFID transponder green key ...</p>	 <p>348203 Door opening RFID transponder blue key f...</p>
 <p>348204 Door opening RFID transponder orange key...</p>	 <p>348205 Door opening RFID transponder grey key f...</p>	 <p>SP116 LINEA 5000 Spare part – 1-module alumini...</p>	 <p>3547 Hotel Room Management - Badge in credit ...</p>