



351000



Sfera Basic speaker module for 2 wire audio systems. Fitted with loudspeaker and microphone volume adjustment. It manages up to 100 pushbutton calls using additional double row pushbuttons. It can be used for opening an electrical door lock directly connected to the S+ and S- clamps (18 V 4 A impulsive - 250 mA holding current 30 Ohm max) and the connection to a local door lock release pushbutton on the PL clamps. To be completed with surround plate. The device must be physically configured.

Technical features

Brand	BTicino
Modules	1
Height	91mm
Width	115mm
Calls	4
Plant type	2 fili / 2Wires
Operating temperature	-25° - +70°C
Series	Sfera

Commercial data

Minimum quantity	1
Sales unit	1
EAN code	8005543441541

Technical documentation

- | | |
|---------------------|------------------------|
| ? Instruction Sheet | ? Software Manual |
| ? DWG drawing | ? Technical Data Sheet |
| ? Software Manual | |

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU; 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU; 26 February 2014, and/or where requested also in compliance with 1995/5/CE; 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU; 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Complete with



346993
Sfera expander button module. Allows you...



346250
Relay module for gate opening to be used...



351001
Sfera New speaker module front cover - A...



351002
Sfera New speaker module front cover - A...



351003
Sfera New speaker module front cover w - ...



351005
Sfera New speaker module front cover - R...



351011
Sfera New speaker module front cover, 1 ...



351012
Sfera New speaker module front cover, 1 ...



351013
Sfera New speaker module front cover, 1 ...



351015
Sfera New speaker module front cover, 1 ...



351021
Sfera New speaker module front cover, 2 ...



351023
Sfera New speaker module front cover, 2 ...



351022
Sfera New speaker module front cover, 2 ...



351025
Sfera New speaker module front cover, 2 ...



351041
Sfera New speaker module f/cover, 2 push...



351043
Sfera New speaker module f/cover, 2 push...



351042
Sfera New speaker module f/cover, 2 push...



351045
Sfera New speaker module f/cover, 2 push...



351081
Sfera New speaker module f/cover, 4 push...



351083
Sfera New speaker module f/cover, 4 push...



351082
Sfera New speaker module f/cover, 4 push...



351085
Sfera New speaker module f/cover, 4 push...

Alternative solutions

**351100**Speaker module suitable for
2 wires audi...