



G23A63



Earth leakage module 2P - type A - $I_n= 63A$ - $I_{dn}= 30mA$ - $V_n= 230/400 V_{ac}$

Technical features

Brand	BTicino
Reference Standard	CEI EN 61009-1
Rated voltage	230-400Vac
Input current	63A
Differential current IDN	0.03A
Differential type	A
Modules	2
Poles	2P
Protection class	IP20
Height	83mm
Width	35.6mm
Depth	76mm
Maximum cable section	25/35mmq
Series	Btdin

Commercial data

Minimum quantity	1
Sales unit	1
EAN code	8005543462829

Technical documentation

- ? DWG drawing
- ? Instruction Sheet
- ? Technical Data Sheet

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Certifications



Complete with



FA81NC40
 BTDIN45 - 1P+N thermal-
 magnetic curve C ...



FA81NC50
 BTDIN45 - 1P+N thermal-
 magnetic curve C ...



FA81NC63
 BTDIN45 - 1P+N thermal-
 magnetic curve C ...



FA82C40
 BTDIN45 - 2P thermal-
 magnetic curve C - ...



FA82C50
 BTDIN45 - 2P thermal-
 magnetic curve C - ...



FA82C63
 BTDIN45 - 2P thermal-
 magnetic curve C - ...



FH81NC40
 BTDIN100 - 1P+N
 thermal-magnetic curve C...



FH81NC50
 BTDIN100 - 1P+N
 thermal-magnetic curve C...



FH81NC63
 BTDIN100 - 1P+N
 thermal-magnetic curve C...



FH82C40
 BTDIN100 - 2P thermal-
 magnetic curve C - ...



FH82C50
 BTDIN100 - 2P thermal-
 magnetic curve C - ...



FH82C63
 BTDIN100 - 2P thermal-
 magnetic curve C - ...



FH82D40
 BTDIN100 - 2P thermal-
 magnetic curve D - ...



FH82D50
 BTDIN100 - 2P thermal-
 magnetic curve D - ...



FH82D63
 BTDIN100 - 2P thermal-
 magnetic curve D - ...



FN81NC40
 BTDIN60 - 1P+N thermal-
 magnetic curve C ...



FN81NC50
 BTDIN60 - 1P+N thermal-
 magnetic curve C ...



FN81NC63
 BTDIN60 - 1P+N thermal-
 magnetic curve C ...



FN82B40
 BTDIN60 - 2P thermal-
 magnetic curve B - ...



FN82B50
 BTDIN60 - 2P thermal-
 magnetic curve B - ...



FN82B63
 BTDIN60 - 2P thermal-
 magnetic curve B - ...



FN82C40
 BTDIN60 - 2P thermal-
 magnetic curve C - ...



FN82C50
 BTDIN60 - 2P thermal-
 magnetic curve C - ...



FN82C63
 BTDIN60 - 2P thermal-
 magnetic curve C - ...



FN82D40
BTDIN60 - 2P thermal-
magnetic curve D - ...



FN82D50
BTDIN60 - 2P thermal-
magnetic curve D - ...



FN82D63
BTDIN60 - 2P thermal-
magnetic curve D - ...



FT82C40
BTDIN160 - 2P thermal-
magnetic curve C -...



FT82C50
BTDIN160 - 2P thermal-
magnetic curve C -...



FT82C63
BTDIN160 - 2P thermal-
magnetic curve C -...



FT81NC40
BTDIN160 - 1P+N
thermal-magnetic curve C...



FT81NC50
BTDIN160 - 1P+N
thermal-magnetic curve C...



FT81NC63
BTDIN160 - 1P+N
thermal-magnetic curve C...



FT81ND63
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT81ND6
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT81ND10
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT81ND16
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT81ND20
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT81ND25
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT81ND32
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT81ND50
BTDIN160 - 1P+N
thermal-magnetic curve D...



FT82D40
BTDIN160 - 2P thermal-
magnetic curve D -...



FT82D50
BTDIN160 - 2P thermal-
magnetic curve D -...



FT82D63
BTDIN160 - 2P thermal-
magnetic curve D -...