



G43A32



Earth leakage module 4P - type A - $I_n = 32A$ - $I_{dn} = 30mA$ - $V_n = 400 V_{ac}$

Technical features

| | |
|--------------------------|----------------|
| Brand | BTicino |
| Reference Standard | CEI EN 61009-1 |
| Rated voltage | 400Vac |
| Input current | 32A |
| Differential current IDN | 0.03A |
| Differential type | A |
| Modules | 2 |
| Poles | 4P |
| Protection class | IP20 |
| Height | 83mm |
| Width | 35.6mm |
| Depth | 76mm |
| Maximum cable section | 25/35mmq |
| Series | Btdin |

Commercial data

| | |
|------------------|---------------|
| Minimum quantity | 1 |
| Sales unit | 1 |
| EAN code | 8005543463079 |

Technical documentation

? Instruction Sheet

? Technical Data Sheet

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Certifications



Complete with



FA84C10
BTDIN45 - 4P thermal-
magnetic curve C - ...



FA84C16
BTDIN45 - 4P thermal-
magnetic curve C - ...



FA84C20
BTDIN45 - 4P thermal-
magnetic curve C - ...



FA84C25
BTDIN45 - 4P thermal-
magnetic curve C - ...



FA84C32
BTDIN45 - 4P thermal-
magnetic curve C - ...



FA84C6
BTDIN45 - 4P thermal-
magnetic curve C - ...



FH84C10
BTDIN100 - 4P thermal-
magnetic curve C - ...



FH84C16
BTDIN100 - 4P thermal-
magnetic curve C - ...



FH84C20
BTDIN100 - 4P thermal-
magnetic curve C - ...



FH84C25
BTDIN100 - 4P thermal-
magnetic curve C - ...



FH84C32
BTDIN100 - 4P thermal-
magnetic curve C - ...



FH84C6
BTDIN100 - 4P thermal-
magnetic curve C - ...



FH84D10
BTDIN100 - 4P thermal-
magnetic curve D - ...



FH84D16
BTDIN100 - 4P thermal-
magnetic curve D - ...



FH84D20
BTDIN100 - 4P thermal-
magnetic curve D - ...



FH84D25
BTDIN100 - 4P thermal-
magnetic curve D - ...



FH84D32
BTDIN100 - 4P thermal-
magnetic curve D - ...



FH84D6
BTDIN100 - 4P thermal-
magnetic curve D - ...



FN84B10
BTDIN60 - 4P thermal-
magnetic curve B - ...



FN84B16
BTDIN60 - 4P thermal-
magnetic curve B - ...



FN84B20
BTDIN60 - 4P thermal-
magnetic curve B - ...



FN84B25
BTDIN60 - 4P thermal-
magnetic curve B - ...



FN84B32
BTDIN60 - 4P thermal-
magnetic curve B - ...



FN84B6
BTDIN60 - 4P thermal-
magnetic curve B - ...



FN84C10
 BT DIN60 - 4P thermal-
 magnetic curve C - ...



FN84C16
 BT DIN60 - 4P thermal-
 magnetic curve C - ...



FN84C20
 BT DIN60 - 4P thermal-
 magnetic curve C - ...



FN84C25
 BT DIN60 - 4P thermal-
 magnetic curve C - ...



FN84C32
 BT DIN60 - 4P thermal-
 magnetic curve C - ...



FN84C6
 BT DIN60 - 4P thermal-
 magnetic curve C - ...



FN84D10
 BT DIN60 - 4P thermal-
 magnetic curve D - ...



FN84D16
 BT DIN60 - 4P thermal-
 magnetic curve D - ...



FN84D20
 BT DIN60 - 4P thermal-
 magnetic curve D - ...



FN84D25
 BT DIN60 - 4P thermal-
 magnetic curve D - ...



FN84D32
 BT DIN60 - 4P thermal-
 magnetic curve D - ...



FN84D6
 BT DIN60 - 4P thermal-
 magnetic curve D - ...



FT84C16
 BT DIN160 - 4P thermal-
 magnetic curve C - ...



FT84C20
 BT DIN160 - 4P thermal-
 magnetic curve C - ...



FT84C25
 BT DIN160 - 4P thermal-
 magnetic curve C - ...



FT84C32
 BT DIN160 - 4P thermal-
 magnetic curve C - ...



FT84C6
 BT DIN160 - 4P thermal-
 magnetic curve C - ...



FV84C10
 BT DIN250 - 4P thermal-
 magnetic curve C - ...



FV84C16
 BT DIN250 - 4P thermal-
 magnetic curve C - ...



FV84C20
 BT DIN250 - 4P thermal-
 magnetic curve C - ...



FV84C25
 BT DIN250 - 4P thermal-
 magnetic curve C - ...



FV84C6
 BT DIN250 - 4P thermal-
 magnetic curve C - ...