

KG8104M03



Electrified frame with standard Italian and German socket escutcheon, for the installation of 2 digital controls and a 2P + T socket (compatible items: KW4140A16, KW4140A16F). Installation in 4-module box with K4704 support. Black color

Technical features

Brand	BTicino
Rated voltage	27Vdc
Modules	4

Series

Commercial data

Minimum quantity	5
Sales unit	5
EAN code	8005543674598

Technical documentation

? Instruction Sheet

? DWG drawing

We, BTicino S.p.A. Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Complete with



KG8010
LIGHT control. Touch digital control to ...



KG4140A16
Socket 2 P+E 16 A 250 Va.c. - 19 and 26 ...



KG4140A16F
German and Italian standard flat socket...



KR4140A16
Socket 2 P+E 16 A 250 Va.c. - 19 and 26 ...



KR4140A16F
German and Italian standard flat socket...



KG8100
Aesthetic cover for blanking modules ite...



KG8011
FULL control. Touch digital control for ...