



T7081/400



GL400 underneath earth leakage module for MA/MH/ML/MS400 - In=400A, I_{dn}=0,03-3A, t=0-3s - signalization of percentage (%) of earth fault current.

Technical features

Brand	BTicino
Reference Standard	CEI EN 60947-2-A1
Rated voltage	500Vac
Input current	160-400A
Differential current IDN	0.03-3A
Differential type	A-S
Poles	4P
Height	152mm
Width	183mm
Depth	105mm
Series	MEGATIKER

Commercial data

Minimum quantity	1
Sales unit	1
EAN code	8012199200293

Technical documentation

? DWG drawing

? Instruction Sheet

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.

Complete with



T744F250

M4 630F - thermal-magnetic circuit brea...



T744F250EB

M4 630F - electronic circuit breaker (L...



T744F320

M4 630F - thermal-magnetic circuit brea...



T744F320EB

M4 630F - electronic circuit breaker (L...



T744F400

M4 630F - thermal-magnetic circuit brea...



T744F400EB

M4 630F - electronic circuit breaker (L...



T744F400MP

MP4 630F - moulded case circuit breaker ...



T744F500

M4 630F - thermal-magnetic circuit brea...



T744F500EB

M4 630F - electronic circuit breaker (L...



T744F630

M4 630F - thermal-magnetic circuit brea...



T744F630EB

M4 630F - electronic circuit breaker (L...



T744F630MP

MP4 630F - moulded case circuit breaker ...



T744H400MP

MP4 630H - moulded case circuit breaker ...



T744H630MP

MP4 630H - moulded case circuit breaker ...



T744L250

M4 630L - thermal-magnetic circuit brea...



T744L250EB

M4 630L - electronic circuit breaker (L...



T744L250M

M4 630L - electronic circuit breaker (L...



T744L250MT

M4 630L - electronic circuit breaker (L...



T744L320

M4 630L - thermal-magnetic circuit brea...



T744L320EB

M4 630L - electronic circuit breaker (L...



T744L320M

M4 630L - electronic circuit breaker (L...



T744L320MT

M4 630L - electronic circuit breaker (L...



T744L400

M4 630L - thermal-magnetic circuit brea...



T744L400EB

M4 630L - electronic circuit breaker (L...


T744L400M

M4 630L - electronic
circuit breaker (L...

T744L400MT

M4 630L - electronic
circuit breaker (L...

T744L500

M4 630L - thermal-
magnetic circuit brea...

T744L500EB

M4 630L - electronic
circuit breaker (L...

T744L500M

M4 630L - electronic
circuit breaker (L...

T744L500MT

M4 630L - electronic
circuit breaker (L...

T744L630

M4 630L - thermal-
magnetic circuit brea...

T744L630EB

M4 630L - electronic
circuit breaker (L...

T744L630M

M4 630L - electronic
circuit breaker (L...

T744L630MT

M4 630L - electronic
circuit breaker (L...

T744N250

M4 630N - thermal-
magnetic circuit brea...

T744N250EB

M4 630N - electronic
circuit breaker (L...

T744N250M

M4 630N - electronic
circuit breaker (L...

T744N250MT

M4 630N - electronic
circuit breaker (L...

T744N320

M4 630N - thermal-
magnetic circuit brea...

T744N320EB

M4 630N - electronic
circuit breaker (L...

T744N320M

M4 630N - electronic
circuit breaker (L...

T744N320MT

M4 630N - electronic
circuit breaker (L...

T744N400

M4 630N - thermal-
magnetic circuit brea...

T744N400EB

M4 630N - electronic
circuit breaker (L...

T744N400M

M4 630N - electronic
circuit breaker (L...

T744N400MT

M4 630N - electronic
circuit breaker (L...

T744N500

M4 630N - thermal-
magnetic circuit brea...

T744N500EB

M4 630N - electronic
circuit breaker (L...


T744N500M

M4 630N - electronic
circuit breaker (L...

T744N500MT

M4 630N - electronic
circuit breaker (L...

T744N630

M4 630N - thermal-
magnetic circuit brea...

T744N630EB

M4 630N - electronic
circuit breaker (L...

T744N630M

M4 630N - electronic
circuit breaker (L...

T744N630MT

M4 630N - electronic
circuit breaker (L...

T744S400

MS4 630 - moulded case
disconnecter 4P -...

T744S630

MS4 630 - moulded case
disconnecter 4P -...