

GENERAL CATALOGUE

BTICINO > Low voltage energy distribution > Circuit breakers for protection > BTDIN miniature circuit breakers > BTDIN45 Thermal magnetic circuit breakers Icn=4500A



FA84C50

BTDIN45 - 4P thermal-magnetic curve C - In= 50A - Icn= 4,5kA - Vn= 400 Vac - 4 modules

Technical features

Brand	BTicino	
Standard reference	CEI EN 60898-1	
Rated voltage	400Vac	
Rated current	50A	
Rated breaking capacity Icn	4.5kA	
Tripping curve	С	_
N° of modules	4	
N° of poles	4P	
Protection index	IP20	
Height	83mm	
Width	71.2mm	

Documentation

DWG drawing

Technical Data Sheet

Environment. Product Declaration

Tripping curves

Certifications





Depth 76mm

Max section 25/35mmq

Series Btdin

Related products



G43A63

Earth leakage module 4P - type A - In= 63A -Idn= 30mA - Vn= 400 Vac



G43F63

Earth leakage module 4P - type F - In= 63A -Idn= 30mA - Vn= 400 Vac



G43AC63

Earth leakage module 4P - type AC - In= 63A -Idn= 30mA - Vn= 400 Vac

We, BTicino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in BTicino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/SCE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". BTicino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.