

BTICINO &gt; Wiring devices &gt; KNX Automation System &gt; Temperature management



002697

DIN FCU controller ON/OFF Actuator with internal thermoregulation to control FCU or thermal valves In combination with the temperature control panel, can be used to manage ambient temperature according to end-user requests: operating mode, temperature adjustment 2 folds valve ON/OFF control (2A - 75 a 256 V a.c.). 1 fold fan control – 3 speeds (6A - 230 Va.c.). 1 binary input check – window contact (9 a 265 V a.c./V d.c.). - Operating temperature -5 à 45°C Operating voltage 230VAC +/- 10% (50/60Hz) 4 DIN modules 17,5mm

## Technical features

Brand	Legrand
Rated voltage	29Vdc
N° of modules	4
Plant type	KNX

## Documentation

[ETS Project File](#)
[KNX catalogue](#)

## Related products


**LN4691KNX**

LivingLight - Temperature control panel. Flush mounted 1,6' backlight display with 4 push-but...


**H4691KNX**

Axolute - Temperature control panel. Flush mounted 1,6' backlight display with 4 push-buttons...

We, Bticino S.p.A Viale Borri 231 21100 Varese (Italy), declare that all items listed in Bticino catalogues, have been manufactured in compliance with the principal elements of safety objectives of European Directive said LVD: 2014/35/EU: 26 February 2014 and, where requested, also in compliance with essential protection requirements of electromagnetic compatibility according to European Directive 2014/30/EU: 26 February 2014, and/or where requested also in compliance with 1995/5/CE: 9 March 1999 "R&TTE" or where requested also in compliance with 2014/53/EU: 16 April 2014 "RED". Bticino S.p.A. products are in compliance with the standard published by the International Electrotechnical Commission (IEC). The compliance can be proved by Certificates issued by organizations recognized by IEC according to the CB-scheme. Our items comply with relevant European Product- Standards and show, whether provided, CE marking, they have been constructed in accordance with good engineering practice in safety matters in force in the Community, they do not endanger the safety of persons, domestic animals or property when properly installed and maintained and used in applications for which they were made.